Listing of the Claims

- 1-3. (Cancelled).
- 4. (Previously Presented) A method of enhancing yeast fermentation of wort, the method comprising the steps of:
- (a) suspending yeast in a wort-free aqueous solution comprising liquid adjunct in an amount sufficient to give a gravity in the range of from about 2 to about 25 degrees Plato wherein the liquid adjunct comprises a cereal sugar;
- (b) aerating the suspension for a period of time with a gas comprising oxygen to allow oxygen uptake by the yeast required for sterol and unsaturated fatty acid synthesis;
- (c) transferring the yeast of step (b) to a suitable volume of wort having a gravity comparable to the gravity of the solution of step (a); and
- (d) allowing fermentation to occur under suitable fermentation conditions to produce beer.
- 5. (Previously Presented) The method of claim 4, wherein zinc is added to the yeast suspension.
- 6. (Cancelled).
- 7. (Previously Presented) The method of claim 4, wherein the wort is nonaerated wort.
- 8-10. (Cancelled).
- 11. (Withdrawn) The method of claim 4, wherein the wort is aerated wort.
- 12-15. (Cancelled).
- 16. (Previously Presented) The method of claim 4, wherein the gas is delivered above a maximum oxygen uptake rate of the yeast.

- 17. (Previously Presented) A method for fermenting wort, the method comprising:
- (a) suspending yeast in a wort-free aqueous solution comprising liquid adjunct in an amount sufficient to give a gravity in the range of from about 2 to about 25 degrees Plato wherein the liquid adjunct comprises a cereal sugar;
- (b) aerating the suspension for a period of time with a gas comprising oxygen to allow oxygen uptake by the yeast required for sterol and unsaturated fatty acid synthesis;
- (c) transferring the yeast of step (b) to a suitable volume of non-aerated wort having a gravity comparable to the gravity of the solution of step (a);
 - (d) allowing fermentation of the wort to occur to produce beer; and
 - (e) monitoring the wort for an end of fermentation,

wherein the end of fermentation is reached in a shorter time than a fermentation method wherein aerated wort is pitched with a non-aerated yeast slurry.

18. (Cancelled).

J

- 19. (Previously Presented) The method of claim 17, wherein the yeast is brewer's yeast.
- 20. (Previously Presented) The method of claim 19, wherein zinc is added to the yeast suspension.
- 21. (Previously Presented) The method of claim 17 wherein the liquid adjunct comprises maltose.
- 22. (Previously Presented) The method of claim 17 wherein the liquid adjunct comprises dextrose, maltose and maltotriose.
- 23. (Previously Presented) The method of claim 4 wherein the liquid adjunct comprises maltose.
- 24. (Previously Presented) The method of claim 4 wherein the liquid adjunct comprises dextrose, maltose and maltotriose.